

Material: AMS 6150

Standard Specification for Structural and Constructional Steels

Group: Ferrous Mild Steel Alloys

Sub Group: AMS 6150 Structural and Constructional Steels

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Bar and Forging

Chemical Composition			Heat Treatment	
Carbon	C %	0.480 - 0.530	Annealing or Normalizing or Hardening + Tempering	
Silicon	Si %	0.150 - 0.350		
Manganese	Mn %	0.700 - 0.900		
Phosphorus	P %	0.035 max.		
Sulphur	S %	0.040 max.		
Chromium	Cr %	0.800 - 1.1000		
Vanadium	V %	0.150 min.		
Iron	Fe %	Balance	Mechanical Properties Tensile Strength in Mpa 1310 min. Yield Strength in Mpa 1172 min. Elongation in % 4 min. Reduction of Area in % - Hardness in BHN - Impact in Joule -	
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
J15048	UNS	USA	Casting
6150	SAE	USA	Bar, Tube, Sheet, Strip and Forging
6150	AISI	USA	Forging, Bar, Wire, and Shape
A732 12Q	AISI	USA	Casting
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India