

Material: ASTM A 29 1055

Standard Specification for Steel Castings for General Engineering Purposes

Group: Ferrous Mild Steel Alloys

Sub Group: ASTM A 29 1055 Steel Castings for General Engineering Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Casting

Chemical Composition		
Carbon	C %	0.500 - 0.600
Manganese	Mn %	0.600 - 0.900
Phosphorus	P %	0.040 max.
Sulphur	S %	0.050 max.
Aluminium	Al %	0.020 max.
Boron	B %	0.0005 - 0.0030
Copper	Cu %	0.200 max.
Niobium	Nb %	0.015 max.
Vanadium	V %	0.020 max.
Iron	Fe %	Balance
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
As Cast or Annealing or Normalizing or Hardening and Tempering

Mechanical Properties	
Tensile Strength in Mpa	650 - 660
Yield Strength in Mpa	360 min.
Elongation in %	10 min.
Reduction of Area in %	30 - 40
Hardness in BHN	192 - 197
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
AW3	BS	British	Casting
1055	SAE	USA	Casting
1055	AISI	USA	Casting
A 1040 1055	ASTM	USA	Casting
A 510 1055	ASTM	USA	Casting
A 576 10L55	ASTM	USA	Bar
A 682 G10550	ASTM	USA	Steel and Strip

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India