

Material: DIN 15NiCuMoNb5

Standard Specification for Seamless Steel Tubes for Pressure Purposes

Group: Ferrous Mild Steel Alloys

Sub Group: DIN 15NiCuMoNb5 Seamless Steel Tubes for Pressure Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Steel

Chemical Composition			Heat Treatment	
Carbon	C %	0.100 - 0.170	Normalizing + Tempering	
Silicon	Si %	0.250 - 0.500		
Manganese	Mn %	0.800 - 0.120		
Phosphorus	P %	0.016 max.		
Sulphur	S %	0.005 max.		
Chromium	Cr %	0.300 max.		
Molybdenum	Mo %	0.250 - 0.400		
Nickel	Ni %	1.000 - 1.300		
Vanadium	V %	0.020 max.		
Niobium	Nb %	0.015 - 0.025		
			Mechanical Properties	
Aluminium	Al %	0.050 max.	Tensile Strength in Mpa	580 - 780
Copper	Cu %	0.500 - 0.800	Yield Strength in Mpa	400 min.
Nitrogen	N %	0.020 max.	Elongation in %	16 min.
Iron	Fe %	Balance	Reduction of Area in %	-
-	-	-	Hardness in HB	-
			Impact in Joule	41 J @ RT

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
1.6368	EN	European Union	Steel and Flat
1.6368	DIN	Germany	Steel and Flat
1.6368	DIN	Germany	Steel and Flat
15 NiCuMoNb 5 S	DIN	Germany	Steel
1.6369	DIN	Germany	Steel
1.6369	DIN	Germany	Steel
15 NiCuMoNb 5 S	DIN	Germany	Steel

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com