

Material: DIN 2.4106

Standard Specification for Nickel and Nickel Alloys Strips and Sheets

Group: Non-Ferrous Nickel Alloys

Sub Group: DIN 2.4106 Nickel and Nickel Alloys Strips and Sheets

Application: Intended for Valve, Pump, General Engineering, Automotive and other Industries

Grade Belongs to the Industry: Strip and Sheet

Chemical Composition			Heat Treatment	
Carbon	C %	0.150 max.	As-Cast or Annealing or Age Hardning	
Silicon	Si %	0.250 max.		
Manganese	Mn %	0.400 - 1.000		
Copper	Cu %	0.500 max.		
Iron	Fe %	0.500 max.		
Magnesium	Mg %	0.150 max.		
Sulphur	S %	0.010 max.		
Titanium	Ti %	0.100 max.		
Ni + Co	Ni% + Co%	98.000 min.		
-	-	-		
			Mechanical Properties	
-	-	-	Tensile Strength in Mpa	340 min.
-	-	-	Yield Strength in Mpa	120 min.
-	-	-	Elongation in %	20 min.
-	-	-	Reduction of Area in %	-
-	-	-	Hardness in HRB	140 max.
-	-	-	Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com