

Material: EN X2CrNiMoSi18-5-3

Standard Specification for Seamless Steel Tubes for Pressure Purposes

Group: Ferrous Stainless Steel Alloys

Sub Group: EN X2CrNiMoSi18-5-3 Seamless Steel Tubes for Pressure Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Steel and Tube

Chemical Composition			Heat Treatment	
Carbon	C %	0.030 max.	Solution Annealing	
Silicon	Si %	1.400 - 2.000		
Manganese	Mn %	1.200 - 2.000		
Phosphorus	P %	0.035 max.		
Sulphur	S %	0.015 max.		
Chromium	Cr %	18.000 - 19.000		
Molybdenum	Mo %	2.500 - 3.000		
Nickel	Ni %	4.500 - 5.200		
Nitrogen	N %	0.050 - 0.100		
Iron	Fe %	Balance		
-	-	-	Mechanical Properties Tensile Strength in Mpa 680 - 900 Yield Strength in Mpa 400 min. Elongation in % 25 min. Reduction of Area in % - Hardness in HB 260 max. Impact in Joule 60 J @ RT	
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
10216-5 EN 1.4424	BS	British	Tube
1.4424	EN	European Union	Steel and Tube
1.4424	DIN	Germany	Steel and Tube
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com