

Material: ASTM B124 UNS C48200

Standard Specification for Copper and Copper Alloy Forging Rod, Bar, and Shapes

Group: Non-Ferrous Copper Alloy

Sub Group: ASTM B 124/B 124M Copper and Copper Alloy Forging Rod, Bar, and Shapes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries Grade

Belongs to the Industry: Forging Rod, Bar and Shape

Chemical Composition			Heat Treatment	
Lead	Pb %	0.400 - 1.000	Normalizing or Annealing or Tempering	
Tin	Sn %	0.500 - 1.000		
Iron	Fe %	0.100 max.		
Copper	Cu %	59.000 - 62.000		
Zinc	Zn %	Balance		
-	-	-	Mechanical Properties	
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
			Tensile Strength in Mpa	-
			Yield Strength in Mpa	-
			Elongation in %	-
			Reduction of Area in %	-
			Hardness in BHN	-
			Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
C48200	UNS	USA	Forging Rod, Bar and Shape
B21 C48200	ASTM	USA	Rod, Bar and Shape
B283 C48200	ASTM	USA	Forging
SB-283 C48200	ASME	USA	Forging
CW714R	ONORM	Australia	Forging
CW714R	BDS	Bulgaria	Forging
CW714R	CSN	Czech Republic	Forging

Disclaimer: **All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.**

Customer Care: +91-99090 45075 Email: info@icastllp.com