

Material: IS 7225 Grade 8

Standard Specification for Dental Cobalt-Chromium Casting Alloy

Group: Non-Ferrous Cobalt Alloys

Sub Group: IS 7225 Grade 8 Dental Cobalt-Chromium Casting Alloy

Application: Intended for Valve, Pump, General Engineering, Automotive, Medical and other Industries

Grade Belongs to the Industry: Casting

Chemical Composition			Heat Treatment	
Carbon	C %	0.200 max.	As-Cast or Annealing	
Silicon	Si %	0.600 max.		
Manganese	Mn %	0.600 max.		
Chromium	Cr %	27.000 max.		
Molybdenum	Mo %	6.000 max.		
Iron	Fe %	1.000 max.		
Nickel	Ni %	2.000 max.		
Cobalt	Co %	62.600 min.		
-	-	-	Mechanical Properties	
-	-	-	Tensile Strength in Mpa	-
-	-	-	Yield Strength in Mpa	440 min.
-	-	-	Elongation in %	3 min.
-	-	-	Reduction of Area in %	-
-	-	-	Hardness in BHN	-
-	-	-	Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India